
# Acme Pumps

NFPA-20 Fire Pumps







**Engineered For Quality, Dedicated To Service** 



Acme Pumps is a leading manufacturer of high quality pumps. We provide our customers worldwide with high-efficiency pumps of superior quality that are reliable yet cost-efficient.

With ISO 9001-2000 certified manufacturing facility in China and Singapore, we invest in leading technology, R & D, manufacturing processes and a state-of-the-art testing facility. We use only the highest quality precision and sand castings from selected foundries with specialized steel and pump components from Europe and America.

We design and manufacture pumps and pumping systems fully compliant with recognized international standards and approved by local and international authorities for a variety of markets and applications.

To maintain our leading position, we are committed to long term client-oriented research and development. Our R & D team applies the latest technology available in the pump industry to constantly innovate our product design and function.

ACME HVSF centrifugal pumps are of single-stage horizontal split case, double suction design. It meets and exceeds the requirements of NFPA 20 and fully compliant with latest requirement of FM approval standard.

They are engineered and built to ensure reliable and safe performance while providing continuous service life at an efficient cost.



# **Material Specification**

Cast Iro

Cast Iron

Case Wearing Rings:

Bronze

Impeller:

304 Stainless Steel

Shaft:

416 Stainless Steel

Shaft Sleeves:

304 Stainless Steel

Gland:

304 Stainless Steel



## Features

Cast iron casing fitted with ASA 250# or PN 50 suction and discharge flanges to match the piping system. They are integrally cast into the lower half casing. This allows for removal or rotating assembly without disturbing the piping system.

Precision cast and dynamically balanced double suction impellers in 304 stainless steel construction reduce vibration and ensure smooth operations over a wide range of flow.

Heavy-duty, 416 SS stiff solid shaft design with short span between bearings minimizes shaft deflection and extends packing and bearing life.

304 stainless steel replaceable shaft sleeves are fitted to protect the shaft against corrosion and wear.

Renewable bronze casing wear rings are fitted as a standard with optional impeller wear rings.

Heavy-duty, deep grooved ball bearings with a minimum 100,000 hours L-10 rated bearing life ensures long life and reliability.

ACME unique stuffing box design permits the use of packing or mechanical seal. Seal maintenance can be done without disturbing the pump casing.

## Standard Accessories

Automatic air release valve

Casing relief valve (for electric motor driven unit)

Suction and discharge gauges

with shut-off valves

# Optional Accessories

Flow meter

Main relief valve

Hose valve header, hose valves Waste cone, suction reducer,

and discharge increaser





ACME PUMP INC.

81 Fulton Street, NJ 07005, USA Tel: 1 973 3359686, Fax: 1 973 3359624 Email: acme\_usa@acmepump.com

SINGAPORE

48A Changi South Street 1 Singapore 486114

Tel: 65 6545 7735, Fax: 65 6545 3411 Email: acme\_sin@acmepump.com

#### **INDONESIA**

Unit B2, Kawasan Pantai Indah Dadap Jalan Perancis 2, Tangerang 15211, Indonesia Tel: 6221 5595 1801, Fax: 6221 5595 1806 Email: acme\_jkt@acmepump.com

#### CHINA

Block 30 Wuxi National High-Tech Industrial Park Wuxi, Jiangsu, 214028, P.R.China 无锡国家高新技术产业开发区30号地块 Tel: 86 510 8522 9401 Email: acme\_wuxi@acmepump.com

## **SHANGHAI OFFICE**

Room202 Jing An Bldg.1189 Wuding Rd. West Shanghai, 200042, P.R.China 上海武定西路1189号静安律德大厦202室 Tel: 86 021 6249 1150, Fax: 86 021 6249 6920 Email: acme\_shanghai@acmepump.com

### **BEIJING OFFICE**

Room B-21A, West Tower, The Great Mall, No.6 Xiaozhuang, Chaoyangmenwai Steet, Chaoyang District, Beijing,100026, P.R.China 北京市朝阳区朝阳门外小庄6号中国第一商城B座21A Tel: 86 010 6586 7034, Fax: 86 010 6586 8434 Email: acme\_beijing@acmepump.com